







Engine Specifications

| DIESEL ENGINE DATA | HÖ |
|------------------------------|-------------------------------------|
| Engine Model | Cummins QSK60-G4 |
| No Of Cylinder / Arrangement | 16 , V Form |
| Cycle | 4 Stroke |
| Aspiration | Turbocharged And Low Temperature |
| Bore X Stroke | 159 x 190 mm |
| Displacement Total | 60.2 liters |
| Compression Ratio | 14.5:1 |
| Combustion System | Direct injection |
| Direction Of Rotation | Anti Clockwise Viewed From Flywheel |
| Cooling System | Water Cooled |
| Air Intake System | Mounted Air Filters |

| GENERATOR DATA | √8 1 |
|------------------|--------------|
| Manufacture | Rexford |
| Phase Power | 3 |
| Voltage | 230/400 Volt |
| Power Factor | 0.8 |
| Coupling | Direct |
| Bearing Number | 1 |
| Index Protection | 22 |
| Insulation Class | Н |
| Exciter Type | S Hunt |
| Pole Number | 4 |
| | |







GC 2000

| Rating 50 Hz (1500 RPM) | KVA | KW |
|----------------------------|------|------|
| Continuous (C) | | |
| Prime (P) | 2000 | 1600 |
| Standby (S) | 2200 | 1760 |

| LUBRICATING SYSTEM | |
|--------------------------------------|------------|
| Maximum Oil Temperature | 121 °C |
| Total System Capacity (with Filters) | 280 Litres |

| SAFETY DEVICE | |
|--------------------------------------|--|
| Low Oil Pressure | |
| High Water Temperature and Overspeed | |

| COOLING SYSTEM | |
|------------------------|------------|
| Maximum Top Tank Temp | 100 °C |
| Standard Thermostat | 82-93 °C |
| (Modulating) Range | |
| Total Coolant Capacity | 157 liters |



| FUEL SYSTEM | |
|------------------|---------------------------|
| Fuel Filter | Spin on fuel filters with |
| | water separator |
| | 394 L/H @ 100% Prime |
| Fuel Consumption | Power |
| | 437 L/H @ 100% |
| | Standby Power |

ELECTRICAL EQUIPMENT



Cranking Motor (Heavy Duty, Positive Engagement) 24V

Battery Charging System, Negative Ground 55A






GC 2000

Weight & Dimensions

| DIMENSION | | OPEN | SILENT |
|-----------|----|------|--------|
| Length | mm | 4979 | 12192 |
| Width | mm | 2494 | 2438 |
| Height | mm | 3210 | 2896 |
| Weight | Kg | 9685 | 13885 |


L







L



Н